			Données collectées en décembre 2022 conformément à la norme DIN EN ISO14021. Ces valeurs sont basées sur les moyennes de l'industrie ainsi que sur des preuves spécifiques des fournisseurs													
			Matériaux recyclés Contient au moins XX% de matière recyclée.													
Modèle	Code modèle	Motorisation	Total des éléments recyclés	Acier	Aluminium	PP (Polypropylène)	PE (Polyéthylène)	PA (Polyamide)	PU (Polyuréthan)	Autres matériaux	Recyclabilité	Contenance minimale: Métaux précieux (mg)	Contenance minimale: Terres Rares (mg)	Contient une substance dangereuse:	Contient une substance extrêmement préoccupante:	Contient une ou des substances présentant des propriétés de perturbation endocrinienne avérées ou présumées:
Série 1	F40	Thermique	14,3%	23,7%	2,4%	0,2%	2%	2,2%	0%	3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	20860	107540		Lead 1,2-Dimethoxyethane; ethylene glycol dimethyl ether 1,3,5-Trioxane,trioxane N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol 4-Nonylphenol, branched and linear, ethoxylated Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Malathion Paraffins, chloro chloromethyl paraffins 1,3,5-Triazinane-2,4,6-trione,1,3,5-tris(oxiranylmethyl)- D-Glucitol,1,4-didehydro-2,5-anhydro-6-deoxy-1,3,5-tris(O-methyl)- 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Hexahydro-4-methylphthalic anhydride N,2'[4-(propyl)-2,4,6-trI]dibenz-N-ate-Bi(III) 2'O- (isopropyl or isobutyl or 2-ethylhexyl)-N-(isopropyl or isobutyl or 2-ethylhexyl) phosphoramidate	
Série 2	F44	Thermique	15,4%	25,1%	2,2%	0,1%	2%	2,3%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21210	109210		Lead 1,2-Dimethoxyethane 1,3,5-Trioxane,trioxane N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol 4-Nonylphenol, branched and linear, ethoxylated Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Malathion Paraffins, chloro chloromethyl paraffins 1,3,5-Triazinane-2,4,6-trione,1,3,5-tris(oxiranylmethyl)- D-Glucitol,1,4-didehydro-2,5-anhydro-6-deoxy-1,3,5-tris(O-methyl)- 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Hexahydro-4-methylphthalic anhydride N,2'[4-(propyl)-2,4,6-trI]dibenz-N-ate-Bi(III) 2'O- (isopropyl or isobutyl or 2-ethylhexyl)-N-(isopropyl or isobutyl or 2-ethylhexyl) phosphoramidate	4,4'-Isopropylidenediphenol 4-Nonylphenol, branched and linear, ethoxylated Dicyclohexyl phthalate Nonylphenol
Série 2	G42	Thermique	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350		Lead 1,2-Dimethoxyethane 1,3,5-Trioxane,trioxane N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol Malathion Paraffins, chloro chloromethyl paraffins Cobalt(II) nitrate hexahydrate 2-Methyl-2-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate Potassium 1,1,2,2,3,3,4,4,-nonafluorobutane-1-sulfonate N,2'[4-(propyl)-2,4,6-trI]dibenz-N-ate-Bi(III) 2'O- (isopropyl or isobutyl or 2-ethylhexyl)-N-(isopropyl or isobutyl or 2-ethylhexyl) phosphoramidate	4,4'-Isopropylidenediphenol Dicyclohexyl phthalate
M2	G87	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série 2	U06	Thermique	16,1%	21,5%	25,2%	2,4%	1,5%	3,6%	0%	8,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	30460	93300		Lead 1,2-Dimethoxyethane 1,3,5-Trioxane,trioxane 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Diboron trioxide Decamethylcyclopentasiloxane Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro D-mannitol;1,2,5,6-hexanetetraol 1,6,7,8,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12.2.1.1.16,9.02,13.05,10.02,05,14]octadeca-7,15-diene Acetylcellulose Reflective Covered Fibres Malathion D-Glucitol,1,4-anhydro Cobalt(II) nitrate hexahydrate	
Série 2	U06	PHEV	16,1%	21,5%	25,2%	2,4%	1,5%	3,6%	0%	8,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série 3	G20	Thermique	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350		Lead 1,2-Dimethoxyethane Phenylmercury 1,3-Propanediol,dimethyl N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol 1,6,7,8,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12.2.1.1.16,9.02,13.05,10.02,05,14]octadeca-7,15-diene 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Acetylcellulose Reflective Covered Fibres Malathion Schultes, C14.-17, chloro Paraffins, chloro chloromethyl paraffins 4-Nonylphenol, branched and linear 4,7,7,8,11,12-hexachlorohexacyclo[6.3.1.0.2,6.0.3,10.0.5,9]dodec-11-ene 2-Methyl-2-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate Potassium 1,1,2,2,3,3,4,4,-nonafluorobutane-1-sulfonate N,2'[4-(propyl)-2,4,6-trI]dibenz-N-ate-Bi(III) 2'O- (isopropyl or isobutyl or 2-ethylhexyl)-N-(isopropyl or isobutyl or 2-ethylhexyl) phosphoramidate	4,4'-Isopropylidenediphenol
Série 3	G20	PHEV	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350		Lead 1,2-Dimethoxyethane Phenylmercury 1,3-Propanediol,dimethyl N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol 1,6,7,8,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12.2.1.1.16,9.02,13.05,10.02,05,14]octadeca-7,15-diene 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Acetylcellulose Reflective Covered Fibres Malathion Schultes, C14.-17, chloro Paraffins, chloro chloromethyl paraffins 4-Nonylphenol, branched and linear 4,7,7,8,11,12-hexachlorohexacyclo[6.3.1.0.2,6.0.3,10.0.5,9]dodec-11-ene 2-Methyl-2-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate Potassium 1,1,2,2,3,3,4,4,-nonafluorobutane-1-sulfonate N,2'[4-(propyl)-2,4,6-trI]dibenz-N-ate-Bi(III) 2'O- (isopropyl or isobutyl or 2-ethylhexyl)-N-(isopropyl or isobutyl or 2-ethylhexyl) phosphoramidate	4,4'-Isopropylidenediphenol
Série 3	G21	Thermique	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350	Dimethoxy-methane	Lead 1,2-Dimethoxyethane 1,3-Propanediol,dimethyl N,N'-Di-tert-butyl-3,3'-methylenedi-p-cresol 2-Methyl-4-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiirane 4,4'-Isopropylidenediphenol Diazinon; O,O-diethylO-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl]phosphorothioate Lead monoxide Silica: qrtz, lead salt Diboron trioxide Boric acid Decamethylcyclopentasiloxane Dicyclohexyl phthalate Dodecamethylcyclohexasiloxane Cyclododecane, 2-chloro Nonylphenol D-mannitol;1,2,5,6-hexanetetraol 1,6,7,8,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12.2.1.1.16,9.02,13.05,10.02,05,14]octadeca-7,15-diene 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Acetylcellulose Reflective Covered Fibres Malathion Schultes, C14.-17, chloro Paraffins, chloro chloromethyl paraffins Cobalt(II) nitrate hexahydrate 4-Nonylphenol, branched and linear 4,11,12,13,-Tetrachlorohexacyclo[6.3.1.0.2,6.0.3,10.0.5,9]dodec-11-ene 2-Methyl-2-(N-methylthiophenyl)-2-morpholinopropan-1-one 2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate Potassium 1,1,2,2,3,3,4,4,-nonafluorobutane-1-sulfonate	4,4'-Isopropylidenediphenol Dicyclohexyl phthalate Nonylphenol 4-Nonylphenol, branched and linear 4,11,12,13,-Tetrachlorohexacyclo[6.3.1.0.2,6.0.3,10.0.5,9]dodec-11-ene

													N-[7H-pyrrolo[2,3-d:4,5-b]dipyrazolo-3-ium-8(pz-5)-yl]-2-(pyrazolyl)-or-isoleucyl-or-2-ethylthiazyl]-10-(pyazolyl)-or-isoleucyl-or-2-ethylthiazyl]-phosphoramidothioate.	
												Dotasarcyn pentapac	Lead	A,4'-bis(propylidenediphenol
													1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
													1,3,5-Propanetricarbonitrile	Nonylphenol
													9,10-bis(4-tert-butyl-2,6-dimethylbenzyl)-pyrene	4-Nonylphenol, branched and linear
													2-Methyl-1-(6-(methylthio)phenyl)-2-morpholinopropan-1-one	N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated
													2-Methylthiobenzoic	
													4,4'-Isopropylidenediphenol	
													Diazene-1,2-dicarboxamide	
													Lead monoxide	
													Silica: acid, lead salt	
													Dibutyltin maleate	
													Boric acid	
													Decamethylcyclopentasiloxane	
													Dicyclohexyl phthalate	
													Dodecamethylcyclohexasiloxane	
													Cinnabar(HgS)	
													Nonylphenol	
													Octamethylcyclotetrasiloxane	
													9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16,17,17,18,18-Dodecafluorotetracyclo[12.2.1.1<6,9>.0<2,6>]octadeca-7,17-diene	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													Acetylcysteine Refractory Ceramic Fibres	
													Malathion	
													Arsenic, tri-S-2,-chloro	
													Medium chain chlorinated paraffins	
													Cobalt(II) tetrahydrophthalate	
													4-Nonylphenol, branched and linear	
													N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated	
													2-Geranyl-2-dimethylpyrazine, 2-neopentylidenecyclopentanone	
													2-Ethylhexyl-10-ethyl-4,8-dimethyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
													Bis(2-(2-methoxyethoxy)ethyl)ether	
													Dicyclohl dibutyrate	
													Tribenzoic-1,2,2,2,3,3,4,4,-tetradifluoroethane-1,-sulfinate	
													N-[7H-pyrrolo[2,3-d:4,5-b]dipyrazolo-3-ium-8(pz-5)-yl]-2-(pyrazolyl)-or-isoleucyl-or-2-ethylthiazyl]-10-(pyazolyl)-or-isoleucyl-or-2-ethylthiazyl]-phosphoramidothioate.	
													Lead	Nonylphenol
													1,2-Dimethylcyclohexane	N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated
													1,3,5-Propanetricarbonitrile	
													9,10-bis(4-tert-butyl-2,6-dimethylbenzyl)-pyrene	
													2-Methyl-1-(6-(methylthio)phenyl)-2-morpholinopropan-1-one	
													Diazene-1,2-dicarboxamide	
													Lead monoxide	
													Silica: acid, lead salt	
													Dibutyltin maleate	
													Boric acid	
													Decamethylcyclopentasiloxane	
													Dodecamethylcyclohexasiloxane	
													Cinnabar(HgS)	
													4-Nonylphenol	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													Malathion	
													Arsenic, tri-S-2,-chloro	
													Medium chain chlorinated paraffins	
													Cobalt(II) tetrahydrophthalate	
													N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated	
													2-Geranyl-2-dimethylpyrazine, 2-neopentylidenecyclopentanone	
													2-Ethylhexyl-10-ethyl-4,8-dimethyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
													Bis(2-(2-methoxyethoxy)ethyl)ether	
													Tribenzoic-1,2,2,2,3,3,4,4,-tetradifluoroethane-1,-sulfinate	
													N-[7H-pyrrolo[2,3-d:4,5-b]dipyrazolo-3-ium-8(pz-5)-yl]-2-(pyrazolyl)-or-isoleucyl-or-2-ethylthiazyl]-10-(pyazolyl)-or-isoleucyl-or-2-ethylthiazyl]-phosphoramidothioate.	
													Lead	A,4'-bis(propylidenediphenol
													1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
													1,3,5-Propanetricarbonitrile	4-Nonylphenol, branched and linear
													9,10-bis(4-tert-butyl-2,6-dimethylbenzyl)-pyrene	N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated
													2-Methyl-1-(6-(methylthio)phenyl)-2-morpholinopropan-1-one	
													2-Methylthiobenzoic	
													4,4'-Isopropylidenediphenol	
													Diazene-1,2-dicarboxamide	
													Lead monoxide	
													Silica: acid, lead salt	
													Dibutyltin maleate	
													Boric acid	
													Decamethylcyclopentasiloxane	
													Dicyclohexyl phthalate	
													Dodecamethylcyclohexasiloxane	
													Cinnabar(HgS)	
													4-Nonylphenol	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													Acetylcysteine Refractory Ceramic Fibres	
													Malathion	
													Medium chain chlorinated paraffins	
													4-Nonylphenol, branched and linear	
													N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated	
													2-Geranyl-2-dimethylpyrazine, 2-neopentylidenecyclopentanone	
													2-Ethylhexyl-10-ethyl-4,8-dimethyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
													Bis(2-(2-methoxyethoxy)ethyl)ether	
													Tribenzoic-1,2,2,2,3,3,4,4,-tetradifluoroethane-1,-sulfinate	
													N-[7H-pyrrolo[2,3-d:4,5-b]dipyrazolo-3-ium-8(pz-5)-yl]-2-(pyrazolyl)-or-isoleucyl-or-2-ethylthiazyl]-10-(pyazolyl)-or-isoleucyl-or-2-ethylthiazyl]-phosphoramidothioate.	
													Lead	A,4'-bis(propylidenediphenol
													1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
													1,3,5-Propanetricarbonitrile	4-Nonylphenol, branched and linear
													9,10-bis(4-tert-butyl-2,6-dimethylbenzyl)-pyrene	N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated
													2-Methyl-1-(6-(methylthio)phenyl)-2-morpholinopropan-1-one	
													2-Methylthiobenzoic	
													4,4'-Isopropylidenediphenol	
													Diazene-1,2-dicarboxamide	
													Lead monoxide	
													Silica: acid, lead salt	
													Dibutyltin maleate	
													Boric acid	
													Decamethylcyclopentasiloxane	
													Dicyclohexyl phthalate	
													Dodecamethylcyclohexasiloxane	
													Cinnabar(HgS)	
													4-Nonylphenol	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													Acetylcysteine Refractory Ceramic Fibres	
													Malathion	
													Medium chain chlorinated paraffins	
													Barium diboron tetraoxide	
													Cobalt(II) tetrahydrophthalate	
													4-Nonylphenol, branched and linear	
													2-Geranyl-2-dimethylpyrazine, 2-neopentylidenecyclopentanone	
													2-Ethylhexyl-10-ethyl-4,8-dimethyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
													Bis(2-(2-methoxyethoxy)ethyl)ether	
													Hexahydro-4-methylphthalic anhydride	
													Dicyclohl dibutyrate	
													Tribenzoic-1,2,2,2,3,3,4,4,-tetradifluoroethane-1,-sulfinate	
													N-[7H-pyrrolo[2,3-d:4,5-b]dipyrazolo-3-ium-8(pz-5)-yl]-2-(pyrazolyl)-or-isoleucyl-or-2-ethylthiazyl]-10-(pyazolyl)-or-isoleucyl-or-2-ethylthiazyl]-phosphoramidothioate.	
													Lead	A,4'-bis(propylidenediphenol
													1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
													1,3,5-Propanetricarbonitrile	4-Nonylphenol, branched and linear
													9,10-bis(4-tert-butyl-2,6-dimethylbenzyl)-pyrene	N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated
													2-Methyl-1-(6-(methylthio)phenyl)-2-morpholinopropan-1-one	
													2-Methylthiobenzoic	
													4,4'-Isopropylidenediphenol	
													Diazene-1,2-dicarboxamide	
													Lead monoxide	
													Silica: acid, lead salt	
													Dibutyltin maleate	
													Boric acid	
													Decamethylcyclopentasiloxane	
													Dicyclohexyl phthalate	
													Dodecamethylcyclohexasiloxane	
													Cinnabar(HgS)	
													4-Nonylphenol	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													1,6,7,8,13,14,15,16,17,17,18,18-Dodecafluorotetracyclo[12.2.1.1<6,9>.0<2,6>]octadeca-7,17-diene	
													4,4'-(2,6,8-nonadienyl)-4,4'-bis(propylidenediphenol)	
													Malathion	
													Medium chain chlorinated paraffins	
													4-Nonylphenol, branched and linear	
													N-(1,1,3,3-Tetramethylbutyl)phenol,ethoxylated	
													2-Geranyl-2-dimethylpyrazine, 2-neopentylidenecyclopentanone	
													2-Ethylhexyl-10-ethyl-4,8-dimethyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
													Bis(2-(2-methoxyethoxy)ethyl)ether	
													Hexahydro-4-methylphthalic anhydride	
													4,2-Dibromo-1,2-propanol	
													Dicyclohl dibutyr

M4	GB2	Thermique	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350	Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														N-methylcyclohexasiloxane	
														4,4'-(1,4-butadiene, 4,4'- isopropylidenediphenol	
														Hydrochlor	
														Cobalt(II) nitrate hexahydrate	
														4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														2-Ethylhexyl 10-ethyl-4,8-dimiltyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Phosphoric 4-methylphenyl ester,phosphate	
														Phosphoric acid, triphenyl ester	
														Ethylenediamine-N,N,N',N'-tetrakis(methylenephosphonic) methanesulfonic	
M4 CSL	GB2 CSL	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
M4	GB3	Thermique	14,9%	24,4%	8,1%	0,9%	0%	1,7%	0,2%	8,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	22580	440350	Lead	Dicyclohexyl phthalate
														1,2-Dimethylcyclohexane	Tris(2-ethylhexyl) trimellitate
														1,3-Propanediol,dione	4- Nonylphenol, branched and linear
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														N-methylcyclohexasiloxane	
														Tris(2- nonylphenyl, branched and linear) phosphite	
														Hydrochlor	
														Barium chromate monoxide	
														Cobalt(II) nitrate hexahydrate	
														4- Nonylphenol, branched and linear	
														4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														2-Ethylhexyl 10-ethyl-4,8-dimiltyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Phosphoric 4-methylphenyl ester,phosphate	
Série S	G10	Thermique	10,3%	21,1%	4,2%	0,4%	3,9%	0,1%	0%	5,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série S	G10	PHEV	10,3%	21,1%	4,2%	0,4%	3,9%	0,1%	0%	5,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série S	G31	Thermique	10,3%	21,1%	4,2%	0,4%	3,9%	0,1%	0%	5,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	14680	183920	Lead	4,4'- Isopropylidenediphenol
														1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
														1,3-Propanediol,dione	Nonylphenol
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														2-Methylcrotonamide	
														4,4'-Isopropylidenediphenol	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														Nonylphenol	
														N-methylcyclohexasiloxane	
														1,6,7,8,14,15,17,17,18,18-Dodecachlorocyclopentacyclo[12.2.1.1<6,9>.0<2,13>.0<5,10>]octadeca-7,17-diene	
														4,4'-4,4'-Methylidenebis-4,4'- isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Hydrochlor	
														Antimony, tris(4,5,6,7,-chloro	
														Medium chain chlorinated paraffins	
														4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														2-Ethylhexyl 10-ethyl-4,8-dimiltyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Phosphoric 4-methylphenyl ester,phosphate	
														2,2-dibromo-3-propanol	
														Tris(2)2 phosphate	
														Dicyclohexyl dibenzate	
														N-(Trichloro(D-2,2,4,4-D)2)benz-D-dibrdbr(D) urdr (Isopropyl-N-nitrobdbr)-N'-(Methyl(D)2)-N- (Isopropyl-or nitrobdbr)-or 2-ethylhexyl phosphonodithioate	
Série S	G31	PHEV	10,3%	21,1%	4,2%	0,4%	3,9%	0,1%	0%	5,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	26520	806050	Lead	4,4'- Isopropylidenediphenol
														1,2-Dimethylcyclohexane	Dicyclohexyl phthalate
														1,3-Propanediol,dione	Nonylphenol
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														2-Methylcrotonamide	
														4,4'-Isopropylidenediphenol	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														Nonylphenol	
														N-methylcyclohexasiloxane	
														1,6,7,8,14,15,17,17,18,18-Dodecachlorocyclopentacyclo[12.2.1.1<6,9>.0<2,13>.0<5,10>]octadeca-7,17-diene	
														4,4'-4,4'-Methylidenebis-4,4'- isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Hydrochlor	
														Antimony, tris(4,5,6,7,-chloro	
														Medium chain chlorinated paraffins	
														4-(1,1,3,3- Tetramethylbutyl)phenol,ethoxylated	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														2-Ethylhexyl 10-ethyl-4,8-dimiltyl-7-oxo-8-oxa-5,9-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Phosphoric 4-methylphenyl ester,phosphate	
														2,2-dibromo-3-propanol	
														Tris(2)2 phosphate	
														Dicyclohexyl dibenzate	
														N-(Trichloro(D-2,2,4,4-D)2)benz-D-dibrdbr(D) urdr (Isopropyl-N-nitrobdbr)-N'-(Methyl(D)2)-N- (Isopropyl-or nitrobdbr)-or 2-ethylhexyl phosphonodithioate	
MS	F80	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série S	G60	Thermique	14,7%	27,8%	5,6%	6,8%	0%	2,7%	1,9%	4,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	30870	572640	Lead	Dicyclohexyl phthalate
														1,2-Dimethylcyclohexane	Nonylphenol
														1,3-Propanediol,dione	Tris(2- nonylphenyl, branched and linear) phosphite
														1-Methyl-2-pyrrolidone	
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														N,N- Dimethylacetamide	
														Nonylphenol	
														N-methylcyclohexasiloxane	
														Tris(2- nonylphenyl, branched and linear) phosphite	
														2,2'-4,4'- Methylidenebis- 4,4'- isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Hydrochlor	
														Medium chain chlorinated paraffins	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Série S	G60	PHEV	14,7%	27,8%	5,6%	6,8%	0%	2,7%	1,9%	4,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	30870	572640	Lead	Dicyclohexyl phthalate
														1,2-Dimethylcyclohexane	Nonylphenol
														1,3-Propanediol,dione	Tris(2- nonylphenyl, branched and linear) phosphite
														1-Methyl-2-pyrrolidone	
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														N,N- Dimethylacetamide	
														Nonylphenol	
														N-methylcyclohexasiloxane	
														Tris(2- nonylphenyl, branched and linear) phosphite	
														2,2'-4,4'- Methylidenebis- 4,4'- isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Hydrochlor	
														Medium chain chlorinated paraffins	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
IS	G60	BEV	11,8%	24,7%	11,1%	4,3%	1,9%	4,5%	1,8%	5,1%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	43040	322230	Lead	Dicyclohexyl phthalate
														1,2-Dimethylcyclohexane	Nonylphenol
														1,3-Propanediol,dione	Tris(2- nonylphenyl, branched and linear) phosphite
														1-Methyl-2-pyrrolidone	
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														Dioxane-1,2-dicarboxamide	
														Lead trimonide	
														Silicic acid, lead salt	
														Dibenzo trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Dodecanitrile, 2-chloro-	
														N,N- Dimethylacetamide	
														Nonylphenol	
														N-methylcyclohexasiloxane	
														Tris(2- nonylphenyl, branched and linear) phosphite	
														2,2'-4,4'- Methylidenebis- 4,4'- isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Hydrochlor	
														Medium chain chlorinated paraffins	
														2-hexyl-2-dimethylsilane, 2'-trimethoxysilylpropanone	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Série S	G61	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
Série S	G61	PHEV	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
IS	G61	BEV	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
														Nonylphenol	
														Lead	Dicyclohexyl phthalate
														1,2-Dimethylcyclohexane	
														1,3-Propanediol,dione	
														1-Methyl-2-pyrrolidone	
														4,4'-(1-tert-butyl-2,5-phenylene)di-p-cresol	
														2-Methyl-4-(N-methylthiophosphoryl)-2-neopentylcyclopropan-1-one	
														2-Methylcrotonamide	
														Dioxane-1,2-dicarboxamide	

Série 7	G70	Thermique	14%	27,2%	5,1%	4,5%	1,5%	3%	1,9%	4,2%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	45920	914520	Lead monoxide	
														Silica: acid, lead salt	
														Dibasic trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Cinnabar(HgS), chrome free	
														N-methylcyclohexylmethanamine	
														1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene	
														2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Malathion	
														Arsenic, tri-n-1?, chloro	
														Medium chain chlorinated paraffins	
														Cobalt(II) nitrate hexahydrate	
														Tris(2-methoxyethoxy)vinylsilane	
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	
														2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														1,3-chloroprene; 1-propene	
														Dioctyltin dilaurate	
														Tridecanoic 4,4,6,6,8,8,10,10-octamethyl-2-sulfanyl-	
Série 7	G70	PHEV	14%	27,2%	5,1%	4,5%	1,5%	3%	1,9%	4,2%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	45920	914520	Aluminium	Lead	Dicyclohexyl phthalate
															1,2-Dimethoxyethane
															1,3-Propanesultone
															1-Methyl-2-pyrrolidone
															6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol
															2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
															2-Methylimidazole
															Stearone; 1,2-dihydroxyoctadec
															Lead monoxide
															Silica: acid, lead salt
															Dibasic trioxide
															Boric acid
															Decamethylcyclopentasiloxane
															Dicyclohexyl phthalate
															Dodecamethylcyclohexasiloxane
															Cinnabar(HgS), chrome free
															N-methylcyclohexylmethanamine
															1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene
															2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol
															Aluminosilicate Refractory Ceramic Fibres
															Malathion
															Arsenic, tri-n-1?, chloro
															Medium chain chlorinated paraffins
															Cobalt(II) nitrate hexahydrate
															Tris(2-methoxyethoxy)vinylsilane
															2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
															2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate
															Bis(2-(2-methoxyethoxy)ethyl)ether
															1,3-chloroprene; 1-propene
															Dioctyltin dilaurate
															Tridecanoic 4,4,6,6,8,8,10,10-octamethyl-2-sulfanyl-
Série 7	G70	BEV	11%	23,8%	10,2%	3,1%	0%	6%	1,9%	3,2%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	100250	386050	Aluminium	Lead	Dicyclohexyl phthalate
															1,2-Dimethoxyethane
															1,3-Propanesultone
															1-Methyl-2-pyrrolidone
															6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol
															2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
															2-Methylimidazole
															Stearone; 1,2-dihydroxyoctadec
															Lead monoxide
															Silica: acid, lead salt
															Dibasic trioxide
															Boric acid
															Decamethylcyclopentasiloxane
															Dicyclohexyl phthalate
															Dodecamethylcyclohexasiloxane
															Cinnabar(HgS), chrome free
															N-methylcyclohexylmethanamine
															1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene
															2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol
															Aluminosilicate Refractory Ceramic Fibres
															Malathion
															Arsenic, tri-n-1?, chloro
															Medium chain chlorinated paraffins
															Cobalt(II) nitrate hexahydrate
															Tris(2-methoxyethoxy)vinylsilane
															2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
															2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate
															Bis(2-(2-methoxyethoxy)ethyl)ether
															1,3-chloroprene; 1-propene
															Dioctyltin dilaurate
															Tridecanoic 4,4,6,6,8,8,10,10-octamethyl-2-sulfanyl-
Série 8	G14	Thermique	13,2%	27%	3,6%	6,5%	0%	0,3%	0%	2,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21720	274600	Lead	4,4'-Isopropylidenediphenol
														1,2-Dimethoxyethane	Dicyclohexyl phthalate
														Phenylcyclohexane	Naphthalene
														1,3-Propanesultone	m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated
														6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol	
														2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	
														2-Methylimidazole	
														4,4'-Isopropylidenediphenol	
														Stearone; 1,2-dihydroxyoctadec	
														Lead monoxide	
														Silica: acid, lead salt	
														Dibasic trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Cinnabar(HgS), chrome free	
														Naphthalene	
														N-methylcyclohexylmethanamine	
														1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene	
														2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Malathion	
														Arsenic, tri-n-1?, chloro	
														Medium chain chlorinated paraffins	
														m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated	
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	
														2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Hexahydro-4-methylphthalic anhydride	
														Dioctyltin dilaurate	
Série 8	G15	Thermique	13,2%	27%	3,6%	6,5%	0%	0,3%	0%	2,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21720	274600	Dioxosilyl phthalate	Lead	4,4'-Isopropylidenediphenol
															1,2-Dimethoxyethane	Dicyclohexyl phthalate
															Phenylcyclohexane	Naphthalene
															1,3-Propanesultone	m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated
															6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol
															2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
															2-Methylimidazole
															4,4'-Isopropylidenediphenol
															Stearone; 1,2-dihydroxyoctadec
															Lead monoxide
															Silica: acid, lead salt
															Dibasic trioxide
															Boric acid
															Decamethylcyclopentasiloxane
															Dicyclohexyl phthalate
															Dodecamethylcyclohexasiloxane
															Cinnabar(HgS), chrome free
															Naphthalene
															N-methylcyclohexylmethanamine
															1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene
															2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol
															Aluminosilicate Refractory Ceramic Fibres
															Malathion
															Arsenic, tri-n-1?, chloro
															Medium chain chlorinated paraffins
															m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated
															2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
															2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate
															Bis(2-(2-methoxyethoxy)ethyl)ether
															Hexahydro-4-methylphthalic anhydride
															Dioctyltin dilaurate
															Cobalt(II) carbonate
Série 8	G16	Thermique	13,2%	27%	3,6%	6,5%	0%	0,3%	0%	2,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21720	274600	Lead	4,4'-Isopropylidenediphenol
														1,2-Dimethoxyethane	Dicyclohexyl phthalate
														1,3-Propanesultone	Naphthalene
														6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol	m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated
														2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	
														2-Methylimidazole	
														4,4'-Isopropylidenediphenol	
														Stearone; 1,2-dihydroxyoctadec	
														Lead monoxide	
														Silica: acid, lead salt	
														Dibasic trioxide	
														Boric acid	
														Silicyan	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Cinnabar(HgS), chrome free	
														Naphthalene	
														N-methylcyclohexylmethanamine	
														1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene	
														2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	
														Aluminosilicate Refractory Ceramic Fibres	
														Malathion	
														Arsenic, tri-n-1?, chloro	
														Medium chain chlorinated paraffins	
														m-(1,1,3,3-Tetramethylbutyl)phenol, ethoxylated	
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	
														2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Hexahydro-4-methylphthalic anhydride	
														Dioctyltin dilaurate	
														Cobalt(II) carbonate	
M8	FR1	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
M8	FR2	Thermique	13,2%	27%	3,6%	6,5%	0%	0,3%	0%	2,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	23430	433290	Lead	
														1,2-Dimethoxyethane	Dicyclohexyl phthalate
														1,3-Propanesultone	
														6,6'-Di-tert-butyl-2,2'-methylenedi-p-cresol	
														2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	
														4,4'-Isopropylidenediphenol	
														Stearone; 1,2-dihydroxyoctadec	
														Lead monoxide	
														Silica: acid, lead salt	
														Dibasic trioxide	
														Boric acid	
														Decamethylcyclopentasiloxane	
														Dicyclohexyl phthalate	
														Dodecamethylcyclohexasiloxane	
														Cinnabar(HgS), chrome free	
														Hexahydromethylphthalic anhydride	
														N-methylcyclohexylmethanamine	
														1,6,7,8,14,15,16,17,17,18,18,18-Dodecachlorohexapentacyclo[12.2.1.1.15,8.0.02,13.0.05,14]octadeca-7,15-diene	
														2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	
														Malathion	
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	
														2-Ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	
														Bis(2-(2-methoxyethoxy)ethyl)ether	
														Hexahydro-4-methylphthalic anhydride	
														Lead	4,4'-Isopropylidenediphenol
														1,2-Dimethoxyethane	Dicyclohexyl phthalate
														1,3-Propanesultone	

M8	FR3	Thermique	13,2%	27%	3,6%	6,5%	0%	0,3%	0%	2,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21720	274600	6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 4,4'-Isopropylidenediphenol Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Ethylene Diacetylethylcyclopentadiene Dicyclohexyl phthalate Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Hexahydromethylphthalic anhydride N-methylhydrocinnamaldehyde 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene 2,2'-4,4'-tetrakis(tris-4,4'-isopropylidenediphenol) Phosphine 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Benzl-12-methoxyethoxyethyl phthalate Hexahydro-4-methylphthalic anhydride	
X1	U11	Thermique	16,1%	23,6%	13,6%	4,1%	1,4%	4,7%	0%	7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	16680	151980	Bisphenol	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Dicetylethylcyclohexadiene 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene Acetylcresolate Refractory Ceramic Fibres 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine Medium chain chlorinated paraffins 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate 3,3-dibenzo-1-propanol Tributyltin-1,2,3,4,5,6,7,8-octahydroxanthrene-1-sulfonate
X1	U11	PHEV	16,1%	23,6%	13,6%	4,1%	1,4%	4,7%	0%	7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	16680	151980	Bisphenol	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Dicetylethylcyclohexadiene 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene Acetylcresolate Refractory Ceramic Fibres 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine Medium chain chlorinated paraffins 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate 3,3-dibenzo-1-propanol Tributyltin-1,2,3,4,5,6,7,8-octahydroxanthrene-1-sulfonate
X1	U11	BEV	12,3%	22%	9,2%	7,7%	3,1%	2,7%	0%	5,3%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	21720	150640	Bisphenol	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Dicetylethylcyclohexadiene 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene Acetylcresolate Refractory Ceramic Fibres 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine Medium chain chlorinated paraffins 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate 3,3-dibenzo-1-propanol Tributyltin-1,2,3,4,5,6,7,8-octahydroxanthrene-1-sulfonate
X2	U10	Thermique	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
X2	U10	PHEV	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
X2	U10	BEV	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
X3	G01	Thermique	14,2%	24,2%	5,5%	0,3%	3,8%	0,2%	0%	3,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	12030	226210	Diisooctyl phthalate	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dicyclohexyl phthalate Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Bis(ethylhexyl) N-methylhydrocinnamaldehyde 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene 2,2'-4,4'-tetrakis(tris-4,4'-isopropylidenediphenol) Acetylcresolate Refractory Ceramic Fibres 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine 2-Methyl-1-naphthol 4-Nonylphenol, branched and linear 4-(1,1,3,3,5-Tetramethylhexyl)phenol,ethoxylated 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Benzl-12-methoxyethoxyethyl phthalate Hexahydro-4-methylphthalic anhydride Triscyl phosphate Dioctyltin dilaurate N,3'Trio(ethyl)-3-o-N'-[(phenoxy 3-oxo-dipyr-5)] urid- (oxazolyl) or oxadiazol or 4'-ethylthio(yl)- (oxazolyl) or isoxazol or 4'-ethylthio(yl) phosphorodithioate	
X3	G01	PHEV	14,2%	24,2%	5,5%	0,3%	3,8%	0,2%	0%	3,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	12030	226210	Diisooctyl phthalate	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dicyclohexyl phthalate Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine Bis(ethylhexyl) N-methylhydrocinnamaldehyde 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene 2,2'-4,4'-tetrakis(tris-4,4'-isopropylidenediphenol) Acetylcresolate Refractory Ceramic Fibres 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine 2-Methyl-1-naphthol 4-Nonylphenol, branched and linear 4-(1,1,3,3,5-Tetramethylhexyl)phenol,ethoxylated 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Benzl-12-methoxyethoxyethyl phthalate Hexahydro-4-methylphthalic anhydride Triscyl phosphate Dioctyltin dilaurate N,3'Trio(ethyl)-3-o-N'-[(phenoxy 3-oxo-dipyr-5)] urid- (oxazolyl) or oxadiazol or 4'-ethylthio(yl)- (oxazolyl) or isoxazol or 4'-ethylthio(yl) phosphorodithioate	
X3	G08	BEV	8,7%	19,2%	1,2%	2,9%	0%	1,3%	0%	4,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	76300	312450		Lead 1,2-Dimethoxyethane 1,3-Propanediolene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-Methylthiobenzo 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dicyclohexyl phthalate Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine N-methylhydrocinnamaldehyde 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachlorohexacyclo[12-2-1-1.16,9.012,17.015,18]octadeca-7,17-diene 2,2'-4,4'-tetrakis(tris-4,4'-isopropylidenediphenol) 2-(2H-benzotriazol-2-yl)-4,6-dinonylphenol Phosphine Medium chain chlorinated paraffins 4-Nonylphenol, branched and linear 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-Ethylhexyl-10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate Benzl-12-methoxyethoxyethyl phthalate Hexahydro-4-methylphthalic anhydride 3,3-dibenzo-1-propanol
X3 M	FR7	Thermique	14,2%	24,2%	5,5%	0,3%	3,8%	0,2%	0%	3,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	12030	226210	Diisooctyl phthalate	Lead 1,2-Dimethoxyethane 1,3-Propanediolene 6,8 -Di-tert-butyl-2,7-methylbenzo-p-cresol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 4,4'-Isopropylidenediphenol Styrene-1,2-dihydroxyethylene Lead monoxide Silicic acid, lead salt Dibasic trisodio Boric acid Diacetylethylcyclopentadiene Dodecylmethylcyclohexadiene Cinnabarite-2-chlorine N-methylhydrocinnamaldehyde 2,2'-4,4'-tetrakis(tris-4,4'-isopropylidenediphenol)	4,4'-Isopropylidenediphenol Diisooctyl phthalate Bisphenol 4-Nonylphenol, branched and linear 4-(1,1,3,3,5-Tetramethylhexyl)phenol,ethoxylated

													2-,(2H-benzotriazol-2-yl)-2,6-, dibenzyldecylphenol	
													Malonitrile	
													4- Nonylphenol, branched and linear	
													4-,(1-,1-,3-,3-,5- Tetramethylbutyl)phenol, ethoxylated	
													2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	
													2-Ethylhexyl-10-,ethyl-4,8-,dimethyl-7-,nonen-8-,ene-5,9-,dithia-4-,stannatridecanoate	
													Bis(2-(2-,methoxyethoxy)ethyl)ether	
													Hexahydro-4-,methylphthalic anhydride	
													Trioctyl phosphate	
													Trioctyl phosphate	
X4	GB2	Thermique	14,2%	24,2%	5,5%	0,1%	3,8%	0,2%	0%	3,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	12030	226210	Lead
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-,Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														Benzene-1,2,3,4-,tetracarboxylic acid-1,2-,anhydride
														Aluminosilicates Refractory Ceramic Fibres
														Melamine
														1-Methyl-2-,undecyl
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														2-Ethylhexyl-10-,ethyl-4,8-,dimethyl-7-,nonen-8-,ene-5,9-,dithia-4-,stannatridecanoate
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														Trioctyl phosphate
														Dioctyltin dilaurate
														N-(Trioxysilylpropyl)-2,4,6-trihydroxy-N,-(trioxysilylpropyl)-melamine or 2,4,6-tris(3-(trimethoxysilyl)propylamino)triazine
X4 M	FR8	Thermique	14,2%	24,2%	5,5%	0,1%	3,8%	0,2%	0%	3,7%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	12030	226210	Lead
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														O-methylcyclopentasiloxane
														Benzene-1,2,3,4-,tetracarboxylic acid-1,2-,anhydride
														Melamine
														4-(1-,1-,3-,3-,Tetramethylbutyl)phenol, ethoxylated
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														2-Ethylhexyl-10-,ethyl-4,8-,dimethyl-7-,nonen-8-,ene-5,9-,dithia-4-,stannatridecanoate
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														Trioctyl phosphate
														Dioctyltin dilaurate
X5	GB5	Thermique	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Bisphenol
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														Aluminosilicates Refractory Ceramic Fibres
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioctyltin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol
X5	GB5	PAEV	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Lead
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														Aluminosilicates Refractory Ceramic Fibres
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioxytin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol
X6	GB6	Thermique	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Lead
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														2,(2H-benzotriazol-2-yl),4,6-,dibenzylphenol
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioxytin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol
X6 M	FR6	Thermique	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Lead
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														2,(2H-benzotriazol-2-yl),4,6-,dibenzylphenol
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioxytin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol
X6 M	FR6	Thermique	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Lead
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														Aluminosilicates Refractory Ceramic Fibres
														2,(2H-benzotriazol-2-yl),4,6-,dibenzylphenol
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioxytin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol
X6 M	FR6	Thermique	13,9%	25,5%	5,6%	0,2%	0,5%	0,5%	0%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	29650	552580	Lead
Dimethacrylate														2,2'-Ethoxylated bisphenol A dimethacrylate (typically for production of paints and polymers)
														1,2-,Dimethoxyethane
														1,3-,Propanediol
														6,6'-Di-tert-butyl-2,2'-,methylenedi-p-cresol
														2-,Methyl-1-,(4-,methylthiophenyl)-2-,morpholinopropan-1-,one
														2-Methylimidazole
														4,4'-,Isopropylidenediphenol
														Dioxane, 1,2-,dimethoxyethane
														Lead monoxide
														Silica: acid, lead salt
														Dibenzo trioxide
														Boric acid
														Decamethylcyclopentasiloxane
														Dicyclohexyl phthalate
														Dodecamethylcyclohexasiloxane
														Octadecanoic,2-,ethoxy
														Nonylphenol
														O-methylcyclopentasiloxane
														1,6,7,8,14,15,21,22-,octahydro-5H-,Dibenzo[a,m]triazacyclopentadecyn[2,3-d:2,4-d:10,11-d:12,13-d]triazine-7,17-,dione
														4,4'-,(4,4'-Isobutylidene-,4,4'-,isopropylidenediphenol)
														2,(2H-benzotriazol-2-yl),4,6-,dibenzylphenol
														Melamine
														Acrylamide, 2-(1-,1-,1-,-,ethoxy
														4- Nonylphenol, branched and linear
														2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
														Bis(2-(2-,methoxyethoxy)ethyl)ether
														Hexahydro-4-,methylphthalic anhydride
														2,2-,dibromo-,1-,propanol
														Dioxytin dilaurate
														Poly(oxy(1-,1-,2-,2-,3-,3-,4-,4-,cyclohexylidenediyl)-α-,α-diol)diol

														Assemblé	Lues	Encyclopédie/pétrolatum
														Dinoscorip pétrolatum	2- Ethylsulphy-acetates (typically for production of paints and polymers)	Rosophénol
															1,2-Dimethoxyethane	4, Nonylphénol, branched-and linear
															1,3-Propanediolmo	
															1-Methyl-2-pyrrolidone	
															6,8 (In-tert-butyl-2,7'-methylene)-p-cresol	
															2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	
															2-Methylimidazole	
															Malonic-1,2-dinitrosoacrilic	
															Lead trinoleate	
															Silicic acid, lead salt	
															Hilbeno trioxide	
															Boric acid	
															Hexamethylcyclopentasiloxane	
															Encyclopédie/pétrolatum	
															Dodecamethylcyclohexasiloxane	
															Imidazolidine-2-thione	
															Rosophénol	
															3-Hexylcyclopentasiloxane	
															1,8,7,8,14,15,15,14,17,17,18,18-Dodecamethoxyperhydro[5]-2,2-c:-10,2h:h[5,10:5,15]cyclodecane-7,17-dione	
															4,4',4,4'-Methylene, 4,4'-bis(phenylhydrazine)	
															Aluminosilicate Refractory Ceramic Fibres	
															Melamine	
															Alkanes, C14-17, chloro-	
															4, Nonylphénol, branched-and linear	
															2-Acetyl-2-dimethylsuccinic-2'-morpholinoacetylcyclohexanone	
															Tributylamine-1,1,2,2,3,3,4,4,5,5,6,6,n,n,n-tridodecylhydrazine, n-oxide(ad)	
X7	G07	Thermique	12,7%	24,3%	3,7%	0,3%	0%	0,4%	0%	5,4%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	20750	350490			
IX	I20	BEV	10,6%	21,4%	12,6%	6,8%	5,5%	7,1%	0%	6,6%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.	Collecte de données en cours.
															Lues	Encyclopédie/pétrolatum
															1,2-Dimethoxyethane	
															1,3-Propanediolmo	
															1-Methyl-2-pyrrolidone	
															6,8 (In-tert-butyl-2,7'-methylene)-p-cresol	
															2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	
															Malonic-1,2-dinitrosoacrilic	
															Lead trinoleate	
															Silicic acid, lead salt	
															Hilbeno trioxide	
															Boric acid	
															Hexamethylcyclopentasiloxane	
															Encyclopédie/pétrolatum	
															Dodecamethylcyclohexasiloxane	
															Imidazolidine-2-thione	
															3-Hexylcyclopentasiloxane	
															1,8,7,8,14,15,15,14,17,17,18,18-Dodecamethoxyperhydro[5]-2,2-c:-10,2h:h[5,10:5,15]cyclodecane-7,17-dione	
															Melamine	
															2-Acetyl-2-dimethylsuccinic-2'-morpholinoacetylcyclohexanone	
															Tributylamine-1,1,2,2,3,3,4,4,5,5,6,6,n,n,n-tridodecylhydrazine, n-oxide(ad)	
XM	G09	PHEV	13,8%	27,1%	3,6%	1,4%	1,1%	4,2%	0,2%	2,9%	En attente de transmission de la méthodologie de calcul par l'éco-organisme.	65630	1041920			